

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 760 | 714/719.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:46 |
| L2 | 2871 | 714/718.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:47 |
| L3 | 3857 | 365/200.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:45 |
| L4 | 3287 | 365/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:45 |
| L5 | 1704 | 714/25.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:45 |
| L6 | 650 | 714/42.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:46 |
| L7 | 272 | 714/54.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:46 |
| L8 | 138 | 714/702.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:46 |
| L10 | 0 | (memory adj test\$3) and (parallel adj memory adj arrays) and (bit adj pattern) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:48 |
| L11 | 10 | (714/718.ccls.) and (test\$3 with (memory adj arrays)) and (bit adj pattern) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:49 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L12 | 9 | (714/718.ccls.) and (test\$3 with (memory adj arrays)) and (bit adj pattern) and multiplexer\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 11:53 |
| L13 | 4 | (714/718.ccls.) and (test\$3 with (memory adj arrays)) and (bit adj pattern) and multiplexer\$1 and ((portion or part) with pattern) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 13:17 |
| L14 | 4 | (714/718.ccls.) and (test\$3 with (memory adj arrays)) and (bit adj pattern) and ((portion or part) with pattern) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 13:18 |
| L16 | 9 | (test\$3 with (memory adj arrays)) and (bit adj pattern) and ((portion or part) with pattern with memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 13:18 |
| L20 | 2 | (test\$3 with memory) and (pattern with (pseudo adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 13:33 |
| L22 | 13 | pseudo-memory and test\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 15:08 |
| L31 | 19 | comparator with ("0") with match\$3 with (pattern) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 15:18 |
| L32 | 6 | comparator with ("0") with match\$3 with (pattern) with bit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 18:46 |
| L33 | 244 | 714/732.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 18:46 |
| L34 | 834 | 714/733.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/03 18:46 |